



ARCOY INDUSTRIES (INDIA) PVT. LTD.

Your partners in corrosion prevention

ARMARINE 35A PRIMER

CHLORINATED RUBBER BASED CHEMICAL RESISTING PRIMER



INTRODUCTION

ARMARINE 35A PRIMER is a single pack chlorinated rubber based primer containing anti-corrosive pigments, having excellent resistance to industrial and marine atmosphere.

TYPICAL USE : As a rust inhibiting primer on interior and exterior steel work exposed to moderate to aggressive marine as well as industrial environment.

TECHNICAL DATA

- Application : **Air Spray or brush**
- Volume Solids : **40 - 45%**
- Consistency : **Smooth, Uniform**
- Specific Gravity at 25⁰C : **0.95 - 1.15 gm / cc**
- Viscosity at 25⁰C : **40 - 160 sec.**
- Dry Film Thickness (DFT) : **35 - 45 microns / coat**
- Covering capacity : **10 - 11 sq. mtr. / ltr. / coat**
- Drying at 25⁰C : **1 - 2 hrs. (Touch Dry)**
- Hard Dry : **24 hrs.**
- Further Workability : **After tack free**
- Shelf life : **6 months**

**CORROSION
NO ENTRY**

INDUSTRIAL & MARINE COATINGS

A name in the making of Colours & Coatings

